

# Contents

|   |     |
|---|-----|
| Preamble . . . . .  | III |
| <hr/>   |     |
| CHAPTER 1   |     |
| Main Features . . . . .                                       | 1   |
| 1.1 Context . . . . .   | 1   |
| 1.2 Features . . . . .  | 2   |
| 1.3 <i>PID</i> Actions . . . . .                              | 5   |
| 1.3.1 Proportional Action . . . . .                           | 5   |
| 1.3.2 Integral Action . . . . .                               | 5   |
| 1.3.3 Derivative Action . . . . .                             | 7   |
| 1.4 Different Types of <i>PID</i> . . . . .                   | 9   |
| 1.5 Equivalence of <i>PID</i> . . . . .                       | 17  |
| 1.5.1 Mixed $\leftrightarrow$ Parallel Conversion . . . . .   | 19  |
| 1.5.2 Mixed $\leftrightarrow$ Series Conversions . . . . .    | 20  |
| 1.5.3 Parallel $\leftrightarrow$ Series Conversions . . . . . | 23  |
| 1.5.4 Summary Tables . . . . .                                | 25  |
| 1.5.5 Examples . . . . .                                      | 29  |
| 1.6 <i>PID</i> : Frequency Response . . . . .                 | 30  |
| 1.6.1 Series <i>PID</i> . . . . .                             | 30  |
| 1.6.2 Mixed <i>PID</i> . . . . .                              | 32  |
| <hr/>   |     |
| CHAPTER 2   |     |
| Digital <i>PID</i> . . . . .                                  | 37  |
| 2.1 Continuous to Digital Transposition . . . . .             | 37  |
| 2.1.1 $z$ -Transformation . . . . .                           | 38  |
| 2.1.2 Backward or BW Approximation . . . . .                  | 38  |
| 2.1.3 Forward or FW Approximation . . . . .                   | 38  |
| 2.1.4 $z$ -Transformation and Approximation . . . . .         | 39  |
| 2.2 Basic Actions . . . . .                                   | 39  |
| 2.2.1 Integral . . . . .                                      | 39  |
| 2.2.2 Derivative . . . . .                                    | 39  |
| 2.2.3 Transposition Tables . . . . .                          | 42  |
| 2.3 Digital <i>PID</i> . . . . .                              | 42  |
| 2.3.1 <i>PID</i> Form . . . . .                               | 42  |

|                                       |    |
|---------------------------------------|----|
| 2.3.2 RST Form . . . . .              | 43 |
| 2.3.3 Correspondence Tables . . . . . | 44 |

---

## CHAPTER 3

|                                       |    |
|---------------------------------------|----|
| Realization Algorithms . . . . .      | 55 |
| 3.1 Sample Processing . . . . .       | 56 |
| 3.2 Different Algorithms . . . . .    | 58 |
| 3.2.1 <i>PID</i> Forms . . . . .      | 58 |
| 3.2.2 RST Form . . . . .              | 63 |
| 3.3 Ancillary Features . . . . .      | 68 |
| 3.3.1 Manual Mode . . . . .           | 68 |
| 3.3.2 Automatic Mode . . . . .        | 68 |
| 3.3.3 Limitations . . . . .           | 69 |
| 3.3.4 Direct/Reverse Choice . . . . . | 75 |
| 3.3.5 Inputs/Outputs . . . . .        | 76 |
| 3.4 Summary . . . . .                 | 77 |

---

## CHAPTER 4

|  |     |
|--|-----|
| Process Models . . . . .                                     | 81  |
| 4.1 Different Process Models . . . . .                       | 81  |
| 4.1.1 Stable Systems . . . . .                               | 81  |
| 4.1.2 Integrating Systems . . . . .                          | 84  |
| 4.1.3 Usual Models . . . . .                                 | 85  |
| 4.1.4 Identification Methods . . . . .                       | 85  |
| 4.2 Broïda Model . . . . .                                   | 87  |
| 4.2.1 Open Loop Identification . . . . .                     | 87  |
| 4.2.2 Closed Loop Identification (Dindeleux, 1989) . . . . . | 89  |
| 4.3 2nd Order Model with Delay . . . . .                     | 90  |
| 4.3.1 Open Loop Identification . . . . .                     | 90  |
| 4.3.2 Closed Loop Identification . . . . .                   | 90  |
| 4.4 Strejc Model (Strejc, 1960) . . . . .                    | 91  |
| 4.4.1 Open Loop Identification . . . . .                     | 91  |
| 4.4.2 Closed Loop Identification . . . . .                   | 99  |
| 4.5 Reverse Response Strejc Model . . . . .                  | 99  |
| 4.6 Integrating Model with Delay . . . . .                   | 102 |
| 4.6.1 Open Loop Identification . . . . .                     | 102 |
| 4.6.2 Closed Loop Identification . . . . .                   | 102 |
| 4.7 Integrator and 1st Order Model . . . . .                 | 103 |
| 4.7.1 Open Loop Identification . . . . .                     | 103 |
| 4.7.2 Closed Loop Identification . . . . .                   | 106 |
| 4.8 Integrating Model and Order $n$ . . . . .                | 109 |
| 4.8.1 Open Loop Identification . . . . .                     | 109 |
| 4.8.2 Closed Loop Identification . . . . .                   | 111 |
| 4.9 Integrating Reverse Response Model . . . . .             | 113 |
| 4.9.1 Open Loop Identification . . . . .                     | 113 |

|       |                                      |     |
|-------|--------------------------------------|-----|
| 4.9.2 | Closed Loop Identification . . . . . | 119 |
| 4.9.3 | Case of Delay . . . . .              | 119 |

---

**CHAPTER 5**

|                                      |  |     |
|--------------------------------------|--|-----|
| Evaluation of Performances . . . . . | 121  |     |
| 5.1                                  | Process Performances . . . . .                                     | 121 |
| 5.1.1                                | Step Response . . . . .  | 121 |
| 5.1.2                                | Frequency Response . . . . .                                       | 122 |
| 5.2                                  | Adjustment Objectives . . . . .                                    | 123 |
| 5.3                                  | Closed Loop Setting Criteria . . . . .                             | 125 |
| 5.3.1                                | Stability Criteria . . . . .                                       | 126 |
| 5.3.2                                | Step Response Criteria . . . . .                                   | 128 |
| 5.3.3                                | 1st or 2nd Order Systems . . . . .                                 | 129 |
| 5.3.4                                | Order $n$ Systems: Naslin Criterion (Naslin, 1968, 1962) . . . . . | 129 |
| 5.3.5                                | Optimization Criteria . . . . .                                    | 132 |
| 5.3.6                                | Frequency Criteria . . . . .                                       | 133 |

---

**CHAPTER 6**

|  |   |     |
|--|---|-----|
| Ziegler–Nichols and Associated Methods . . . . . | 135   |     |
| 6.1  | Ziegler and Nichols Closed Loop Method . . . . .            | 135 |
| 6.2  | Ziegler and Nichols Open Loop Method . . . . .              | 137 |
| 6.3  | Cohen and Coon Method (Cohen and Coon, 1953) . . . . .      | 140 |
| 6.4  | Takahashi Method (Takahashi <i>et al.</i> , 1971) . . . . . | 141 |
| 6.5  | KT Method of Aström and Hägglund (1995) . . . . .           | 142 |
| 6.5.1  | Ultimate Gain Method . . . . .                              | 142 |
| 6.5.2  | Open Loop Method . . . . .                                  | 143 |
| 6.5.3  | Adjustment Curves . . . . .                                 | 145 |
| 6.6  | Performances . . . . .                                      | 146 |
| 6.6.1  | Stable Process . . . . .                                    | 146 |
| 6.6.2  | Integrating Process . . . . .                               | 151 |
| 6.6.3  | Process with Delay . . . . .                                | 153 |
| 6.7  | Overview Summary . . . . .                                  | 155 |

---

**CHAPTER 7**

|                                |  |     |
|--------------------------------|--|-----|
| Cancellation Methods . . . . . | 157  |     |
| 7.1                            | Dindeleux Method (Dindeleux, 1989) . . . . . | 157 |
| 7.1.1                          | Stable Process . . . . .                     | 157 |
| 7.1.2                          | Integrating Process . . . . .                | 158 |
| 7.1.3                          | Ultimate Gain Method . . . . .               | 159 |
| 7.1.4                          | Performances . . . . .                       | 159 |
| 7.2                            | Haalman Method (Haalman, 1965) . . . . .     | 168 |
| 7.3                            | Cancellation for 2nd Order . . . . .         | 171 |
| 7.3.1                          | Stable Process . . . . .                     | 171 |
| 7.3.2                          | Integrating Process . . . . .                | 176 |

---

|       |  |     |
|-------|--|-----|
| 7.4   | Direct Synthesis Method and IMC Method . . . . . | 186 |
| 7.4.1 | Direct Synthesis Method . . . . .                | 186 |
| 7.4.2 | IMC Method (Internal Model Control) . . . . .    | 187 |
| 7.4.3 | <i>PID</i> Controller . . . . .                  | 188 |
| 7.5   | Synthesis Summary . . . . .                      | 191 |

---

## CHAPTER 8

|       |  |     |
|-------|--|-----|
|       | Optimization Methods . . . . .   | 193 |
| 8.1   | Integral Criterion Method . . . . .  | 194 |
| 8.1.1 | Study of Rovira, Murrill and Smith (Rovira <i>et al.</i> , 1967) . . . . . | 195 |
| 8.1.2 | Study of Miller, Lopez and Smith (Miller <i>et al.</i> , 1967) . . . . .   | 195 |
| 8.1.3 | Study of Kaya and Scheib (Kaya and Scheib, 1988) . . . . .                 | 196 |
| 8.1.4 | Example . . . . .  | 198 |
| 8.2   | Chien, Hrones and Reswick Method (Chien <i>et al.</i> , 1952) . . . . .    | 199 |
| 8.3   | Samal Method . . . . .   | 203 |
| 8.4   | Choice of a Method . . . . .   | 213 |

---

## CHAPTER 9

|       |  |     |
|-------|--|-----|
|       | Pole Placement Methods . . . . .                             | 215 |
| 9.1   | Naslin Method (Naslin, 1968, 1962) . . . . .                 | 215 |
| 9.1.1 | Original Method . . . . .                                    | 215 |
| 9.1.2 | Industrial Method (Chaussard <i>et al.</i> , 1967) . . . . . | 218 |
| 9.1.3 | Method for Integrating Process . . . . .                     | 235 |
| 9.1.4 | Variant for Integrating Process . . . . .                    | 239 |
| 9.1.5 | Method for Integrating Strejc Model . . . . .                | 245 |
| 9.2   | Classical Method (Corriou, 2018; Flaus, 1994) . . . . .      | 247 |
| 9.2.1 | Setting Criteria . . . . .                                   | 249 |
| 9.2.2 | Performances . . . . .                                       | 251 |
| 9.2.3 | Case of a Derivative on the Measurement . . . . .            | 254 |
| 9.2.4 | Use . . . . .  | 256 |
| 9.3   | Dominant Poles Method . . . . .                              | 256 |
| 9.3.1 | Principle (Aström and Hägglund, 1995) . . . . .              | 256 |
| 9.3.2 | Application . . . . .  | 257 |
| 9.3.3 | Settings . . . . .   | 258 |
| 9.4   | Choice of a Method . . . . .                                 | 260 |

---

## CHAPTER 10

|        |  |     |
|--------|--|-----|
|        | Frequency Methods . . . . .                      | 261 |
| 10.1   | 1st Method: Phase Margin . . . . .               | 262 |
| 10.2   | 2nd Method: Resonance Factor . . . . .           | 266 |
| 10.2.1 | Examples of Application . . . . .                | 268 |
| 10.2.2 | Case of Integrating Systems . . . . .            | 270 |
| 10.3   | Kessler's Method (Kessler, 1958, 1955) . . . . . | 274 |
| 10.3.1 | 2nd Order Process . . . . .                      | 275 |

---

|        |   |     |
|--------|---|-----|
| 10.3.2 | 3rd Order Process . . . . .                                   | 277 |
| 10.3.3 | Performances . . . . .  | 281 |
| 10.3.4 | Summary . . . . .   | 281 |
| 10.4   | KLV Method (Kessler, Landau and Voda) (Voda and Landau, 1995) | 286 |
| 10.4.1 | Basic Settings . . . . .                                      | 286 |
| 10.4.2 | Auto-Calibration . . . . .                                    | 288 |
| 10.4.3 | KLV 1P Method . . . . .                                       | 290 |
| 10.4.4 | KLV 2P Method . . . . .                                       | 292 |
| 10.4.5 | Performances . . . . .  | 294 |
| 10.5   | Use and Choice . . . . .                                      | 295 |

---

## CHAPTER 11

|                                    |  |     |
|------------------------------------|--|-----|
| Digital Settings Methods . . . . . | 297  |     |
| 11.1                               | Choice of the Sampling Period . . . . .                                    | 297 |
| 11.2                               | Zero Cancellation . . . . .  | 298 |
| 11.3                               | Cancellation Method (Buhler, 1986) . . . . .                               | 299 |
| 11.3.1                             | Principle . . . . .  | 299 |
| 11.3.2                             | Process . . . . .  | 300 |
| 11.3.3                             | Case of Uncompensated Zeros . . . . .                                      | 300 |
| 11.3.4                             | Choice of HD . . . . .   | 300 |
| 11.3.5                             | Controller . . . . .   | 301 |
| 11.3.6                             | Use . . . . .  | 303 |
| 11.3.7                             | Examples of Responses . . . . .  | 303 |
| 11.4                               | Pole Placement Method (Borne <i>et al.</i> , 1993; Landau, 1988) . . . . . | 307 |
| 11.4.1                             | Principle . . . . .  | 307 |
| 11.4.2                             | Zero Cancellation of $B$ . . . . .   | 308 |
| 11.4.3                             | Pole Placement with RST . . . . .  | 308 |
| 11.4.4                             | Process . . . . .  | 309 |
| 11.4.5                             | Use . . . . .  | 309 |
| 11.4.6                             | Summary Tables . . . . .   | 310 |
| 11.4.7                             | Examples . . . . .   | 310 |
| 11.5                               | Tracking and Regulation . . . . .  | 317 |
| 11.5.1                             | Principle . . . . .  | 317 |
| 11.5.2                             | Process . . . . .  | 320 |
| 11.5.3                             | Use . . . . .  | 320 |
| 11.5.4                             | Examples . . . . .   | 321 |
| 11.5.5                             | Summary Tables . . . . .   | 325 |
| 11.6                               | Choice of a Dynamic $d_1$ , $d_2$ . . . . .                                | 325 |
| 11.6.1                             | Choice of Tracking Dynamics . . . . .                                      | 329 |
| 11.6.2                             | Choice of a Regulation Dynamics . . . . .                                  | 332 |

---

## CHAPTER 12

|                               |                           |     |
|-------------------------------|---------------------------|-----|
| Adjustments and Use . . . . . | 347                       |     |
| 12.1                          | Sampling Period . . . . . | 347 |
| 12.1.1                        | $PI$ Controller . . . . . | 347 |

|        |   |     |
|--------|---|-----|
| 12.1.2 | <i>PID</i> Controller . . . . .             | 349 |
| 12.2   | Filter Factor $N$ (Visioli, 2006) . . . . . | 354 |
| 12.3   | Model Compliance . . . . .                  | 355 |
| 12.3.1 | Broïda Model . . . . .                      | 355 |
| 12.3.2 | Strejc Model . . . . .                      | 356 |
| 12.3.3 | Static Gain . . . . .                       | 357 |
| 12.4   | Control Constraints . . . . .               | 358 |
| 12.5   | Use . . . . .                               | 362 |
| 12.5.1 | Choice of Controller Type . . . . .         | 362 |
| 12.5.2 | Choice of an Adjustment Method . . . . .    | 363 |
| 12.6   | Conclusion . . . . .                        | 370 |
|        | Appendix . . . . .                          | 373 |
|        | Bibliography . . . . .                      | 401 |
|        | Index . . . . .                             | 405 |